Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRICE LIST

FALL 1937 SPRING 1938 "HAMPSHIRE EVERGREENS"

Sturdy Coniferous Trees

for

Forest - Home - & Christmas-Tree-Planting

1 3

2 ato a de " mar

TRANSPLANTS

ORNAMENTAL TREES

month of the

SEEDLINGS NURSERY STOCK

62.55

KEENE FORESTRY ASSOCIATES

KEENE, NEW HAMPSHIRE

Nurseries at "EDGEWOOD". Two Miles South of Keene

All Hampshire Evergreens are Carefully Inspected by State and Federal Officials Every Shipment Bears a Certificate Guaranteeing Freedom from Insects or Disease

ORDERING INFORMATION

Be sure to give correct full name and address. Print plainly. Orders for less than one dollar cannot be accepted.

All prices are strictly net. F. O. B. Keene, N. H. Shipments are made by express unless otherwise specified. Parcel post shipment when specified will be shipped charges collect unless remittance includes postage.

Seedlings or 3-year transplants of one species will be sold only in lots of 100 or multiples thereof; 4-year and 5-year transplants only in lots of 50 or multiples thereof; twice or more times transplanted stock in lots of 25 or multiples thereof. 500 trees of one size and species at 1,000 rate.

All shipments are at purchaser's risk after delivery in good condition to the carrier. Claims for damage in transit must be made against the carrier. Any claim must be presented within ten days after receipt of trees.


Boxes or other shipping containers will be charged at actual cost.

Orders from new accounts not accompanied by remittance in full must give suitable bank or trade references and will be subject to delay pending investigation. C. O. D. orders must be accompanied by remittance for 25% of purchase price. All accounts are payable 30 days from invoice date.

	Variety	Description	Height	Per 100	Per 1000		
PINE,	Pinus						
	WHITE 1						
		2-year seedlings		\$1.25	\$6.00		
		3-year seedlings		1.50	8.00		
		3-year transplants	2-4″	2.50	15.00		
		4-year transplants	4-8"	3.25	20.00		
		Twice transplanted	4-6"	5.00	50.00		
		Twice transplanted	6-15″	8.00	50.00 		
	RED PIN	NE, Pinus Resinosa		· ·			
		2-year seedlings		\$1.25	\$6.00		
	-	3-year transplants	2-4″	2.50	15.00		
		4-year transplants	4-12"	3.25	20.00		
				Í	1		
		-					
			· ·				
			1	•	1		
	AUSTRIAN PINE, Pinus Austriaca						
		2-year seedlings	1	\$1.50	\$8.00		
•		3-year transplants	2-6″	2.50	15.00		
		4-year transplants	4-8"	3.25	20.00		
		Twice transplanted	5-12"	5.00	35.00		
		Three times transplanted .	8-15″	10.00			
	SCOTCH PINE, Pinus Sylvestris						
		2-year seedlings	3-7″	\$1.25 2.50	\$6.00		
		3-year transplants 4-year transplants	8-15"	3.25	20.00		
		Twice transplanted	12-20"	5.00	35.00		
		Twice transplanted	18-30"	10.00	00.00		
	MUGHO PINE, Pinus Mughos						
		2-year seedlings	1.0"	\$1.50	\$8.00		
		3-year transplants	1-2" 2-4"	3.25	20.00		
		4-year transplants	2-4	5.00	35.00		
		4-year transplants	2-4	5.00			
		4-year transplants	2-4	5.00			
		4-year transplants	2-4	5.00	35.00		

	Variety	Description	Height	Per 100	Per 1000		
SPRU	CE, Picea	ł					
	NORWAY SPRUCE, Picea Excelsa						
		2-year seedlings 3-year transplants 4-year transplants 6-year transplants Twice transplanted Twice transplanted	2-6" 6-15" 12-18" 5-9" 8-14"	\$1.25 2.25 3.25 4.00 5.00 8.00	\$6.00 12.00 20.00 30.00 35.00 50.00		
	WHITE S	SPRUCE, Picea Alba			<u> </u>		
		2-year seedlings 3-year transplants Twice transplanted Three times transplanted .	2-5″ 8-15″ 6-10″	\$1.25 2.50 5.00 8.00	\$6.00 15.00 35.00 50.00		
	COLORA	DO BLUE SPRUCE, Picea Pung	gens				
		2-year seedlings 3-year transplants	1-3″ 4-8″	\$2.25 3.50 8.00	\$12.00		
		4-year transplants 6-year transplants Twice transplanted Twice transplanted Three times transplanted .	12-18" 4-8" 10-15" 10-18"	9.00 10.00 12.00 15.00	60.00		
	"TRU-BI	6-year transplants Twice transplanted Twice transplanted	12-18" 4-8" 10-15" 10-18"	10.00 12.00 15.00	60.00		
	"TRU-BI	6-year transplants Twice transplanted Twice transplanted Three times transplanted . LUE," Picea Pungens Glauca Grown from seed handpicked 2-year seedlings 3-year transplants 4-year transplants	12-18" 4-8" 10-15" 10-18" from blue 1-3" 4-8"	10.00 12.00 15.00 trees only \$3.50 8.00 10.00	60.00 75.00		
	"TRU-BI	6-year transplants Twice transplanted Twice transplanted Three times transplanted . LUE," Picea Pungens Glauca Grown from seed handpicked 2-year seedlings 3-year transplants	12-18" 4-8" 10-15" 10-18" from blue	10.00 12.00 15.00 trees only \$3.50 8.00	60.00 75.00		
		6-year transplants Twice transplanted Twice transplanted Three times transplanted . LUE," Picea Pungens Glauca Grown from seed handpicked 2-year seedlings 3-year transplants 4-year transplants 6-year transplants Twice transplanted	12-18" 4-8" 10-15" 10-18" from blue 1-3" 4-8" 10-18" 4-8" 8-18"	10.00 12.00 15.00 trees only \$3.50 8.00 10.00 12.00 20.00	50.00 60.00 75.00 \$25.00 50.00 85.00		


3-year seedlings 2-4" 2 3-year transplants 2-4" 3 4-year transplants 4-7" 4 Three times transplanted 14-24" 20 CONCOLOR FIR, Abies Concolor 2-year seedlings 14-24" 20 3-year transplants 2-4" 4 Twice transplants 3-year 5 3-year transplants 3-5" 2 4-year transplants 3-5" 2 4-year transplanted 4-8" 5 Twice transplanted 4-8" 5 Twice transplanted 6-10" 3 HEMLOCK, Tsuga 2-year seedlings 4-16" CANADIAN HEMLOCK, Tsuga Canadensis 2-year seedlings 2-3" Three times transplanted 2-3" 50 Three times transplanted 2-3" 50 <t< th=""><th>100 Per 1000</th><th>Per 100</th><th>Height</th><th>Description</th><th>Variety</th><th>Species</th></t<>	100 Per 1000	Per 100	Height	Description	Variety	Species
2-year seedlings \$1 3-year transplants 2-4" 3-year transplants 4-7" 4-year transplants 4-7" 4-year transplants 4-7" Three times transplanted 14-24" 20 CONCOLOR FIR, Abies Concolor 2-year seedlings 2-4" 3-year transplants 2-4" 3-year transplants 2-4" 4 Twice transplants 2-year seedlings 2-4" 4 Twice transplants 2-year seedlings 3-5" 2 2-year transplants 3-year transplants 3-5" 2-year seedlings 3-5" 2-year transplants 3-5" 2-year transplanted 4-8" 5 5-10" 3 Twice transplanted 4-year transplanted 4-8" 5 7wice transplanted 4-year transplanted 8-15" 8 7 4-year transplanted 2-3" 5 7 4-year transplanted 4-3" 5 </th <th></th> <th></th> <th></th> <th></th> <th>bies.</th> <th>FIR, A</th>					bies.	FIR, A
3-year seedlings 2-4" 3 3-year transplants 2-4" 3 4-year transplants 4-7" 4 Three times transplanted 14-24" 20 CONCOLOR FIR, Abies Concolor 2-year seedlings 14-24" 20 3-year transplants 2-4" 4 Twice transplants 2-4" 4 Twice transplants 2-4" 4 Twice transplants 2-4" 4 Twice transplants 3-5" 2 4-year transplants 3-5" 2 3-year transplants 3-5" 2 4-year transplants 3-5" 2 4-year transplants 3-5" 2 4-year transplanted 4-8" 5 Twice transplanted 4-8" 5 Twice transplanted 4-15" 8 HEMLOCK, Tsuga 2-year seedlings 4-16" 10 10 10 10 Three times transplanted 2-3' 25 Twice transplanted 2-3' 50 Three times transplante	BALSAM FIR, Abies Balsamea					
CONCOLOR FIR, Abies Concolor 2-year seedlings 2-4" \$2 3-year transplants 2-4" \$4 Twice transplants 6-12" 10 DOUGLAS FIR, Pseudotsuga Taxifolia 2-year seedlings 3-5" 2 3-year transplants 3-5" 2 4-year transplants 3-5" 2 4-year transplants 5-10" 3 Twice transplanted 4-8" 5 Twice transplanted 8-15" 8 HEMLOCK, Tsuga Armon terms transplanted 2-3' 2-year seedlings 6-10" 10 Twice transplanted 2-3' 25 Twice transplanted 2-3' 25 Three times transplanted 2-3' 50 Three times transplanted 4-6' 60 Four times transplanted 4-6' 60	.00 10.00 .25 20.00	\$1.50 2.00 3.25 4.00		3-year seedlings 3-year transplants 4-year transplants		
2-year seedlings \$2-4" \$4 \$3-year transplants \$2-4" \$4 \$4 \$4 \$4 \$4 \$4 \$4 \$4 \$3-year transplants \$3-5" \$2 \$4-year transplants \$3-5" \$2 \$4-year transplants \$3-5" \$2 \$4-year transplants \$3-510" \$3 \$7wice transplanted \$4-8" \$5 \$7wice transplanted \$3-15" \$8 \$3	.00	20.00	14-24″	Three times transplanted .		
3-year transplants 2-4" 4 Twice transplanted 6-12" 10 DOUGLAS FIR, Pseudotsuga Taxifolia 2-year seedlings 3-5" 2 3-year transplants 3-5" 2 4-year transplants 3-5" 2 4-year transplants 5-10" 3 Twice transplants 5-10" 3 Twice transplanted 4-8" 5 5 5 5 Twice transplanted 4-8" 5 5 5 IEMLOCK, Tsuga 8-15" 8 8 IEMLOCK, Tsuga 2-year seedlings 6-10" 10 Three transplanted 10 5 10 Three times transplanted 2-3' 25 50 Three times transplanted 2-3' 50 Three times transplanted 4-6' 60 Four times transplanted 4-6' 60			<u></u>	OR FIR, Abies Concolor	CONCOL	
2-year seedlings 3-5" 2 3-year transplants 5-10" 3 Twice transplanted 4-8" 5 Twice transplanted 4-8" 5 Twice transplanted 8-15" 8 HEMLOCK, Tsuga 2-year seedlings 6-10" 10 Twice transplanted 2-year seedlings 5 52 Twice transplanted 2-3' 25 10 Three times transplanted 2-3' 25 Three times transplanted 2-3' 50 Three times transplanted 4-6' 60 Four times transplanted 4-6' 60	.00 30.00	\$2.00 4.00 10.00		3-year transplants		
3-year transplants 3-5" 2 4-year transplants 5-10" 3 Twice transplanted 4-8" 5 Twice transplanted 4-8" 5 Twice transplanted 8-15" 8 IEMLOCK, Tsuga 2-year seedlings 6-10" 10 Three times transplanted 2-3' 25 10 Three times transplanted 2-3' 50 10 Three times transplanted 4-6' 60 60 Four times transplanted 4-6' 60 60	<u> </u>	<u> </u>		S FIR, Pseudotsuga Taxifolia	DOUGLA	
CANADIAN HEMLOCK, Tsuga Canadensis2-year seedlings\$2Twice transplanted6-10"Twice transplanted2-3'Three times transplanted,2-3'Three times transplanted,2-3'heavy, sheared2-3'Three times transplanted,4-6'Four times transplanted,4-6'	.50 15.00 .25 20.00 .00 35.00	\$1.25 2.50 3.25 5.00 8.00	5-10″ 4-8″	3-year transplants 4-year transplants Twice transplanted		
2-year seedlings\$2Twice transplanted6-10"Three times transplanted2-3'Three times transplanted,heavy, sheared2-3'Three times transplanted4-6'Four times transplanted,				uga	OCK, Ts	IEML
Twice transplanted6-10"10Three times transplanted .2-3'25Three times transplanted, heavy, sheared2-3'50Three times transplanted .4-6'60Four times transplanted,4-6'60			nsis	AN HEMLOCK, Tsuga Canaden	CANADIA	
Three times transplanted . 4-6' 60 Four times transplanted,	.00 75.00 .00 200.00	\$2.50 10.00 25.00 50.00	2-3′	Twice transplanted Three times transplanted . Three times transplanted,		
	.00 450.00	60.00 75.00	4-6'	Three times transplanted . Four times transplanted,		
CAROLINA HEMLOCK, Tsuga Caroliniana		1	iana	NA HEMLOCK Tsuga Carolinia	CAROLU	
	.00 \$50.0	· \$8.00				
	.00 200.00	35.00	24-40"			



Species	Variety	Description	Height	Per 100	Per 1000		
ARBO	RVITAF	, Thuya					
	AMERICAN ARBORVITAE, Thuya Occidentalis						
		2-year seedlings 3-year transplants Twice transplanted Twice transplanted Three times transplanted .	3-5" 4-7" 15-20" 3-4'	\$2.00 2.50 7.00 8.00 75.00	\$10.00 15.00 50.00		
EURO	PEAN I	ARCH, Larix Europea					
		2-year seedlings 3-year transplants 4-year transplants Twice transplanted	5-10" 12-24" 10-20"	\$1.50 3.25 3.50 8.00	\$8.00 20.00 25.00 50.00		
RED (CEDAR,	Juniperus Virginiana		\ \	<u> </u>		
		2-year seedlings 3-year transplants Twice transplanted	1-3″ 5-12″	\$2.25 3.50 8.00	\$12.00 25.00 50.00		
JAPAI	NESE Y	EW, Taxus Cuspidata			1		
		Twice transplanted	6-12"	\$15.00	\$100.00		
					1		

ORNAMENTAL STOCK

Selected specimen trees of each variety in heights up to twelve feet suitable for any type of ornamental planting are available in quantity. Prices on application.



Planting Distances and Number of Trees per Acre

For forest planting the trees are usually spaced four, five or six feet apart. If less than four feet apart the trees will tend to crowd each other as they approach maturity. If planted more than six feet apart the trees will have a tendency to grow "limby". For the customary spacing for forest planting the number of trees required is as follows:

4 x 4 feet—2,720 per acre. 5 x 5 " -1,740 " " 6 x 6 " -1,210 " "

Care of Trees on Arrival

Hampshire Evergreens are packed in such fashion that they reach you in perfect condition. When they arrive it is best, of course, to get them into the ground as soon as you can, but it isn't necessary to drop everything and plant them at once. Dig a little trench about five or six inches deep. Place the roots of the tiny trees in the trench, spaced rather thinly and let them lean at an angle of about forty degrees with their tops toward the sun. Cover with moist earth to within two or three inches of the top. A cool, shady spot in moist earth is ideal. If your soil is dry be careful not to water too heavily. Excessive moisture may cause them to overheat. Trees properly "heeled in" in this manner need not be planted for several days . . . but get them into the ground as soon as you conveniently can.

When To Plant

The best time to plant is in early spring after snow disappears, just as soon as the frost gets out of the ground. After the ground is free from frost, any time is planting time for the next several weeks. And there is another fine planting period in the fall. September and October are almost always fine for planting . . and even the latter part of August after an average moderate summer. There are just two things to watch out for in fall planting. After a prolonged dry spell remember that hot dry soil is unkind to even the best of tiny trees. Wait for your soil to become tempered with moisture. And if you consider late planting after a rainy spell just bear in mind that heavy soil is liable to "heave". You can readily appreciate what heaving of the soil will do to the tender roots of tiny trees.

Planting Methods

Two men work to best advantage in planting small tracts. The first one makes the holes with a grubbing-hoe or mattock. The other one follows with the tiny trees, their roots immersed in a pail of mud and water. In each hole plant a tree, slightly deeper in the ground than it stood in the nursery. Be sure every tiny tree is set firmly in the soil. You can not plant them too firmly. It is important that after the tiny trees are taken from the "heeling-in" trench their roots are not allowed to become dry. Keep them immersed in mud every minute until planted. It isn't necessary to prepare the ground in any way before planting. Just dig the holes and set in the tiny trees. For more extensive plantings a crew of five works most effectively. Two men precede, digging the holes in parallel rows at proper intervals. The third follows with his mud-paid containing the tiny trees. He hands the trees, as needed, to the two men bringing up the rear, who plant them firmly to the proper depth. It takes longer to tell about it than it does to do it.

Christmas Tree Planting

When planting for Christmas-tree profits the trees most widely used for best results are Norway Spruce, White Spruce, Douglas Fir, Balsam Fir and Colorado Spruce. If you are accessible to a market for three-foot "table-trees" you can plant your tiny trees as close as 2×2 feet. For fullgrown seven-foot Christmas-trees the best spacing is 4×4 feet. Closer spacing will force the trunkgrowth and make the joints between branch-rings too long to command the top price for attractive Christmas-trees. If you are reasonably near a large city where a market exists for "table-trees" you can make your land do double duty. Plant your tiny trees with the two-foot "table-tree" spacing. When they are three feet tall thin them and sell those you cut for "table-trees". This thinning can best be accomplished by cutting every tree in every other row in one direction and then the direction at right angles cut every tree in every other row of the trees that remain.